ELSEVIER

Neuroscience Letters 313 (2001) 161–163

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 313

Alvarez, V., Guisasola, L.M., Moreira, V.G., Lahoz, C.H., Coto, E., Early-onset Parkinson's disease associated with a new parkin mutation in a Spanish family, 108
Asai, K., see Ueki, T., 53
Ayar, A., Martin, D.J., Ozcan, M., Kelestimur, H., Melatonin inhibits high voltage activated calcium currents in cultured rat dorsal root ganglion neurones, 73

Bae, Y.-S., see Lee, C.S., 117
Bandler, R., see Keay, K.A., 17
Bang, N.U., see McConnell, J.P., 88
Barajas-Pérez, M., see Olvera-Cortés, E., 29
Barisone, I., see Sava, A., 37
Basbaum, A.I., see Kiss, S., 57
Beisteiner, R., see Erdler, M., 5
Berkley, K.J., see Dmitrieva, N., 49
Biller, J., see McConnell, J.P., 88
Birder, L.A., see Kiss, S., 57
Blennow, K., see Erhardt, S., 96
Bruno, A., see McConnell, J.P., 88

Cabeza, R., see Murillo-Rodríguez, E., 61
Cao, Y.Q., see Kiss, S., 57
Cheryk, L.A., see McConnell, J.P., 88
Choe, E.S., Wang, J.Q., Group I metabotropic glutamate receptors control phosphorylation of CREB, Elk-1 and ERK via a CaMKII-dependent pathway in rat striatum, 129
Clement, C.I., see Keay, K.A., 17
Conrad, B., see Peinemann, A., 33
Coto, E., see Alvarez, V., 108
Cras, P., see Van Everbroeck, B., 69
Croes, E.A., see Van Everbroeck, B., 69
Crook, R., see Houlden, H., 93
Cruts, M., Dermaut, B., Rademakers, R., Roks, G., Van den Broeck, M., Munteanu, G., van Duijn, C.M., Van Broeckhoven, C., Amyloid β secretase gene (BACE) is neither mutated in nor associated with early-onset Alzheimer's disease, 105
Cruts, M., see Van Everbroeck, B., 69

Damberg, M., Eller, M., Tõnissaar, M., Oreland, L., Harro, J., Levels of transcription factors AP-2α and AP-2β in the brainstem are correlated to monoamine turnover in the rat forebrain, 102
de Groat, W.C., see Kiss, S., 57
Deecke, L., see Erdler, M., 5
Depaulis, A., see Keay, K.A., 17
Dermaut, B., see Cruts, M., 105
Dermaut, B., see Van Everbroeck, B., 69
Di Mauro, D., see Sava, A., 37
Dickson, S.L., see Sunter, D., 145
Dmitrieva, N., Johnson, O.L., Berkley, K.J., Bladder inflammation and hypogastric neurectomy influence uterine motility in the rat, 49
Dolan, R.J., see Houlden, H., 93
Durocher, A., see McConnell, J.P., 88

Edward, V., see Erdler, M., 5
Eller, M., see Damberg, M., 102
Emens, J.S., see Lewy, A.J., 158
Engberg, G., see Erhardt, S., 96
Erdler, M., Windischberger, C., Lanzenberger, R., Edward, V., Gartus, A., Deecke, L., Beisteiner, R., Dissociation of supplementary motor area and primary motor cortex in human subjects when comparing index and little finger movements with functional magnetic resonance imaging, 5
Erhardt, S., Blennow, K., Nordin, C., Skogh, E., Lindström, L.H., Engberg, G., Kynurenic acid levels are elevated in the cerebrospinal fluid of patients with schizophrenia, 96

Fleck, J.D., see McConnell, J.P., 88
Fueta, Y., see Morioka, R., 99
Fujiki, N., see Nishino, S., 125
Fujita, M., see Ueki, T., 53
Fukada, Y., see Yamamoto, K., 13
Fumagalli, G., see Sava, A., 37

Gartus, A., see Erdler, M., 5
Giordano, M., see Murillo-Rodríguez, E., 61
González-Burgos, I., see Olvera-Cortés, E., 29
Guisasola, L.M., see Alvarez, V., 108

Hardy, J., see Houlden, H., 93
Harro, J., see Damberg, M., 102
Hasler, B.P., see Lewy, A.J., 158
Hempelmann, R.G., Seebeck, J., Kruse, M.-L., Ziegler, A., Mehdorn, H.M., Role of potassium channels in the relaxation induced by the nitric oxide (NO) donor DEA/NO in the isolated rat basilar artery, 21
Henriksen, S.J., see Murillo-Rodríguez, E., 61
Hermans-Borgmeyer, I., see Hermey, G., 83
Hermey, G., Riedel, I.B., Rezgaoui, M., Westergaard, U.B., Schaller, C., Hermans-Borgmeyer, I., SorCS1, a member of the novel sorting receptor family, is localized in somata and dendrites of neurons throughout the murine brain, 83
Hewson, A.K., see Sunter, D., 145
Houlden, H., Crook, R., Dolan, R.J., McLaughlin, J., Revesz, T., Hardy, J., A novel presenilin mutation (M233V) causing very early onset Alzheimer's disease with Lewy bodies, 93

Iimori, S., see Yamano, T., 78
Imaizumi, K., see Shinoe, T., 153
Itoh, Y., see Togashi, H., 133

PII: S0304-3940(01)02364-3

Jansen, G., see Van Everbroeck, B., 69
Johnson, O.L., see Dmitrieva, N., 49

Kanazawa, I., see Shinoe, T., 153
Kanazawa, K.-y., see Shinoe, T., 153
Kato, A., see Morioka, R., 99
Kato, M., see Nishino, S., 125
Kato, T., see Ueki, T., 53
Keay, K.A., Clement, C.I., Depaulis, A., Bandler, R., Different representations of inescapable noxious stimuli in the periaqueductal gray and upper cervical spinal cord of freely moving rats, 17
Kelestimur, H., see Ayar, A., 73
Kiso, Y., see Yamano, T., 78
Kiss, S., Yoshiyama, M., Cao, Y.Q., Basbaum, A.I., de Groat, W.C., Lecci, A., Maggi, C.A., Birder, L.A., Impaired response to chemical irritation of the urinary tract in mice with disruption of the preprotachykinin gene, 57
Klegeris, A., McGeer, P.L., Inflammatory cytokine levels are influenced by interactions between THP-1 monocytic, U-373 MG astrocytic, and SH-SY5Y neuronal cell lines of human origin, 41
Koike, T., see Tanaka, S., 9
Kono, T., see Yokohama, S., 149
Kruse, M.-L., see Hempelmann, R.G., 21

Lahoz, C.H., see Alvarez, V., 108
Lanzenberger, R., see Erdler, M., 5
Lecci, A., see Kiss, S., 57
Lee, C.S., Bae, Y.-S., Lee, S.D., Suh, P.-G., Ryu, S.H., ATP-induced mitogenesis is modulated by phospholipase D2 through extracellular signal regulated protein kinase dephosphorylation in rat pheochromocytoma PC12 cells, 117
Lee, S.D., see Lee, C.S., 117
Lehner, C., see Peinemann, A., 33
Lema, S.C., Nevitt, G.A., Re-evaluating NADPH-diaphorase histochemistry as an indicator of nitric oxide synthase: an examination of the olfactory system of coho salmon (*Oncorhynchus kisutch*), 1
Lewy, A.J., Hasler, B.P., Emens, J.S., Sack, R.L., Pretreatment circadian period in free-running blind people may predict the phase angle of entrainment to melatonin, 158
Lindström, L.H., see Erhardt, S., 96
Lo, E.H., see Wang, X., 121
Lynam, S., see Sunter, D., 145

Maggi, C.A., see Kiss, S., 57
Makino, I., see Yokohama, S., 149
Martin, D.J., see Ayar, A., 73
Martin, J.-J., see Van Everbroeck, B., 69
Matsumoto, M., see Togashi, H., 133
McConnell, J.P., Cheryk, L.A., Durocher, A., Bruno, A., Bang, N.U., Fleck, J.D., Williams, L., Biller, J., Meschia, J.F., Urinary 11-dehydro-thromboxane B_2 and coagulation activation markers measured within 24 h of human acute ischemic stroke, 88
McGeer, P.L., see Klegeris, A., 41
McLaughlin, J., see Houlden, H., 93
Mehdorn, H.M., see Hempelmann, R.G., 21
Meltzer, J., Santos-Sacchi, J., Temperature dependence of non-linear capacitance in human embryonic kidney cells transfected with prestin, the outer hair cell motor protein, 141
Méndez Díaz, M., see Murillo-Rodríguez, E., 61
Meschia, J.F., see McConnell, J.P., 88
Mignot, E., see Nishino, S., 125
Morales-Villagrán, A., see Olvera-Cortés, E., 29
Moreira, V.G., see Alvarez, V., 108
Mori, K., see Togashi, H., 133
Morioka, R., Kato, A., Fueta, Y., Sugiyama, H., Expression of *vesl-1 S/homer-1a*, a gene associated with long-term potentiation, in the brain of the epileptic El mouse, 99
Moskowitz, M.A., see Wang, X., 121
Munteanu, G., see Cruts, M., 105
Murillo-Rodríguez, E., Giordano, M., Cabeza, R., Henriksen, S.J., Méndez Díaz, M., Navarro, L., Prospéro-García, O., Oleamide modulates memory in rats, 61

Nagai, K., see Yamano, T., 78
Nakamura, K., see Yokohama, S., 149
Navarro, L., see Murillo-Rodríguez, E., 61
Nevitt, G.A., see Lema, S.C., 1
Newcomb, R., see Wang, X., 121
Niijima, A., see Yamano, T., 78
Nikaido, T., see Shinoe, T., 153
Nishino, S., Fujiki, N., Ripley, B., Sakurai, E., Kato, M., Watanabe, T., Mignot, E., Yanai, K., Decreased brain histamine content in hypocretin/orexin receptor-2 mutated narcoleptic dogs, 125
Nordin, C., see Erhardt, S., 96

Ohashi, S., see Togashi, H., 133
Okano, T., see Yamamoto, K., 13
Olvera-Cortés, E., Barajas-Pérez, M., Morales-Villagrán, A., González-Burgos, I., Cerebral serotonin depletion induces egocentric learning improvement in developing rats, 29
Oreland, L., see Damberg, M., 102
Otani, H., see Togashi, H., 133
Ozcan, M., see Ayar, A., 73

Pals, P., see Van Everbroeck, B., 69
Peeke, H.V.S., see Snyder, M.J., 65
Peinemann, A., Lehner, C., Conrad, B., Siebner, H.R., Age-related decrease in paired-pulse intracortical inhibition in the human primary motor cortex, 33
Prospéro-García, O., see Murillo-Rodríguez, E., 61

Qazi, S., see Vermehren, A., 113

Rademakers, R., see Cruts, M., 105
Revesz, T., see Houlden, H., 93
Rezgaoui, M., see Hermey, G., 83
Riedel, I.B., see Hermey, G., 83
Ripley, B., see Nishino, S., 125
Roks, G., see Cruts, M., 105
Ryu, S.H., see Lee, C.S., 117

Sack, R.L., see Lewy, A.J., 158
Sakurai, E., see Nishino, S., 125
Sala, C., see Sava, A., 37
Santos-Sacchi, J., see Meltzer, J., 141
Sato, K., see Ueki, T., 53
Sava, A., Barisone, I., Di Mauro, D., Fumagalli, G., Sala, C., Modulation of nicotinic acetylcholine receptor turnover by tyrosine phosphorylation in rat myotubes, 37
Schaller, C., see Hermey, G., 83

Schloss, P., see Seeger, G., 45
Schmidt, M.H., see Seeger, G., 45
Schmitz, F., Immunological heterogeneity of synaptic and extrasynaptic forms of non-erythroid α-spectrin in the rat retina, 25
Seebeck, J., see Hempelmann, R.G., 21
Seeger, G., Schloss, P., Schmidt, M.H., Marker gene polymorphisms in hyperkinetic disorder – predictors of clinical response to treatment with methylphenidate?, 45
Shimizu, J., see Shinoe, T., 153
Shimizu-Sasamata, M., see Wang, X., 121
Shinoe, T., Wanaka, A., Nikaido, T., Kanazawa, K.-y., Shimizu, J., Imaizumi, K., Kanazawa, I., Upregulation of the pro-apoptotic BH3-only peptide harakiri in spinal neurons of amyotrophic lateral sclerosis patients, 153
Siebner, H.R., see Peinemann, A., 33
Skogh, E., see Erhardt, S., 96
Snyder, M.J., Peeke, H.V.S., Neuroactive steroids modulate crustacean locomotor activity, 65
Sugiyama, H., see Morioka, R., 99
Suh, P.-G., see Lee, C.S., 117
Sunter, D., Hewson, A.K., Lynam, S., Dickson, S.L., Intracerebroventricular injection of neuropeptide FF, an opioid modulating neuropeptide, acutely reduces food intake and stimulates water intake in the rat, 145

Tanaka, S., Koike, T., Activation of protein kinase C delays apoptosis of nerve growth factor-deprived rat sympathetic neurons through a Ca^{2+}-influx dependent mechanism, 9
Tang, X.C., see Zhou, J., 137
Terano, A., see Yokohama, S., 149
Togashi, H., Mori, K., Itoh, Y., Matsumoto, M., Ueno, K.-i., Ohashi, S., Otani, H., Yoshioka, M., Involvement of interleukin-1β/nitric oxide pathway in the postischemic impairment of long-term potentiation of the rat hippocampus, 133
Tõnissaar, M., see Damberg, M., 102
Trimmer, B.A., see Vermehren, A., 113
Tsuruoka, N., see Yamano, T., 78

Ueki, T., Fujita, M., Sato, K., Asai, K., Yamada, K., Kato, T., Epidermal growth factor down-regulates connexin-43 expression in cultured rat cortical astrocytes, 53
Ueno, K.-i., see Togashi, H., 133

Van Broeckhoven, C., see Cruts, M., 105
Van Broeckhoven, C., see Van Everbroeck, B., 69
Van den Broeck, M., see Cruts, M., 105
van Duijn, C.M., see Cruts, M., 105
van Duijn, C.M., see Van Everbroeck, B., 69
Van Everbroeck, B., Croes, E.A., Pals, P., Dermaut, B., Jansen, G., van Duijn, C.M., Cruts, M., Van Broeckhoven, C., Martin, J.-J., Cras, P., Influence of the prion protein and the apolipoprotein E genotype on the Creutzfeldt–Jakob Disease phenotype, 69
Vermehren, A., Qazi, S., Trimmer, B.A., The nicotinic α subunit MARA1 is necessary for cholinergic evoked calcium transients in *Manduca* neurons, 113

Wanaka, A., see Shinoe, T., 153
Wang, J.Q., see Choe, E.S., 129
Wang, X., Shimizu-Sasamata, M., Moskowitz, M.A., Newcomb, R., Lo, E.H., Profiles of glutamate and GABA efflux in core versus peripheral zones of focal cerebral ischemia in mice, 121
Watanabe, T., see Nishino, S., 125
Watanobe, H., see Yokohama, S., 149
Westergaard, U.B., see Hermey, G., 83
Williams, L., see McConnell, J.P., 88
Windischberger, C., see Erdler, M., 5

Yamada, K., see Ueki, T., 53
Yamamoto, K., Okano, T., Fukada, Y., Chicken pineal *Cry* genes: light-dependent up-regulation of *cCry1* and *cCry2* transcripts, 13
Yamano, T., Niijima, A., Iimori, S., Tsuruoka, N., Kiso, Y., Nagai, K., Effect of L-carnosine on the hyperglycemia caused by intracranial injection of 2-deoxy-D-glucose in rats, 78
Yanai, K., see Nishino, S., 125
Yokohama, S., Yoneda, M., Watanobe, H., Kono, T., Nakamura, K., Makino, I., Terano, A., Effect of central urocortin on carbon tetrachloride-induced acute liver injury in rats, 149
Yoneda, M., see Yokohama, S., 149
Yoshioka, M., see Togashi, H., 133
Yoshiyama, M., see Kiss, S., 57

Zhang, H.Y., see Zhou, J., 137
Zhou, J., Zhang, H.Y., Tang, X.C., Huperzine A attenuates cognitive deficits and hippocampal neuronal damage after transient global ischemia in gerbils, 137
Ziegler, A., see Hempelmann, R.G., 21